



Cleaning and care

for MeisterParquet. longlife,
Alpine flame planks
and Lindura wood flooring

Wood is a natural product – irregularities in the way it has grown, its colour and its texture are signs of its authenticity. Knots, sapwood, cracks and medullary rays, which are a consequence of grading, emphasise the flooring's natural characteristics.

The surfaces of MeisterParquet, longlife and Lindura wood flooring have an HDF core, so they are highly pressure-resistant and quiet. They are also perfect for rooms with hot water underfloor heating systems. Alpine flame planks are particularly natural parquet flooring planks made from 100% naturally grown wood.

Lindura is an innovative real wooden floor featuring a real wood covering layer that is fused with wood powder. This makes the flooring exceptionally resistant to pressure.

The same cleaning and maintenance advice applies to all three products. We stock the relevant Dr. Schutz and HAIN cleaning products. We recommend buying a care set when purchasing your flooring.

The way MeisterParquet, longlife and Lindura wood flooring is made means it is more durable than normal parquet or wooden flooring – but just like the Alpine flame planks, it is not scratch-proof!

To keep your floor in good condition, it is important that you observe the following instructions:

- | Chairs and tables must always be fitted with felt glides
- | To prevent office chairs from leaving roll marks, use a protective office mat or castors that conform to the type W standard
- | Placing dirt trapper mats or runners in entrance areas minimises dirt ingress (e.g. sand, grit, small stones)

Maintaining and cleaning MEISTER wooden floors with a lacquered finish

Our flooring is generally supplied to the customer with a finish that is ready for residential use. The initial cleaning, which takes place as soon as the flooring has been installed, uses Wood and Cork Floor Cleaner diluted with water to a ratio of 1:200 (one graduation mark of the bottle's contents with ten litres of water).

Dry vacuuming or sweeping is sufficient for cleaning everyday dirt. For regular cleaning, we recommend damp mopping using Wood and Cork Floor Cleaner that has been diluted with water to a ratio of 1:200.

Overview of cleaning and protective care agents for lacquered wooden flooring

Dr. Schutz Wood and Cork Floor Cleaner



- | For the initial cleaning following installation and regular cleaning
- | For lacquered parquet and Lindura flooring
- | Damp mopping (one graduation mark of the bottle's contents diluted with ten litres of water)

Dr. Schutz Wood & Cork Floor Polish matt



- | Provides additional protection for lacquered parquet and Lindura flooring
- | Apply the undiluted product in an even layer

Maintaining, cleaning and preserving MEISTER wooden floors with a naturally oiled finish

Our flooring is generally supplied to the customer with a finish that is ready for residential use. The initial cleaning, which takes place as soon as the flooring has been installed, uses Premium Wood Soap or Hain Special Soap diluted with water to a ratio of 1:200. An initial application of Premium Care Oil or Hain Care Balm will result in even better and longer-lasting surface protection.

We generally recommend an initial application of the care oil for areas that are particularly subjected to wear, such as hallways, kitchens, dining rooms, open living areas with direct outdoor access and any commercial areas. Using a disk buffing machine (e.g. FloorBoy) and a white pad makes it possible for the layer of oil to be applied and rubbed in particularly effectively and evenly.

We recommend the following treatment products:

- | Dr. Schutz Premium Care Oil
- | Dr. Schutz Premium Care Oil white
(for white oiled surfaces)
- | Hain Care Balm

Dry vacuuming or sweeping is sufficient for cleaning everyday dirt. For regular cleaning, we recommend damp mopping using Premium Wood Soap or Hain Special Soap that has been diluted with water to a ratio of 1:200.

Further information on cleaning and caring for MEISTER wood flooring can be found here:

<https://www.meister.com/en/advice/care/clean-parquet.html>



Overview of cleaning and protective care agents for naturally oiled wooden flooring



Dr. Schutz Premium Care Oil

- | Provides optimum protection for naturally oiled parquet and Lindura flooring
- | Apply the undiluted product in an even layer and rub it in with a white pad (ideally using a disk buffing machine*)



Dr. Schutz Premium Care Oil white

- | Provides optimum protection for naturally oiled parquet and Lindura flooring with white oiled surfaces
- | Apply the undiluted product in an even layer and rub it in with a white pad (ideally using a disk buffing machine*)

Dr. Schutz Premium Wood Soap



| Initial cleaning following installation and regular cleaning and care for naturally oiled parquet and Lindura flooring

| Damp mopping
(one graduation mark of the bottle's contents diluted with ten litres of water)

Dr. Schutz Premium Wood Soap white



| Initial cleaning following installation and regular cleaning for naturally oiled parquet and Lindura flooring with white oiled surfaces

| Damp mopping
(one graduation mark of the bottle's contents diluted with ten litres of water)

***FloorBoy disk buffing machine with a white pad**



| Perfect for the even application and rubbing in of high quality care products; with a white pad

| The recommended tool for the initial application of Dr. Schutz Premium Care Oil

| Can be rented from a good specialist retailer near you



Hain Special Soap

- | Initial cleaning following installation and regular cleaning for Alpine flame planks
- | Damp mopping (diluted with water to a ratio of 1:200)



Hain Care Balm

- | Provides optimum protection for Alpine flame planks
- | Apply the undiluted product in an even layer and rub it in with a white pad (ideally using a disk buffing machine*)



© 2021 by MeisterWerke Schulte GmbH
Colour and structures may differ due to printing conditions.
We reserve the right to make changes. No responsibility
is assumed for errors.

MEISTER – a trademark of MeisterWerke Schulte GmbH
Johannes-Schulte-Allee 5 | 59602 Rùthen-Meiste | GERMANY
Phone + 49 2952 816-0 | Fax + 49 2952 816-66
www.meister.com

