Revision: 28.07.2021

Dr. Schutz®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023

Version number 15 (replaces version 14)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Dr. Schutz Laminate Cleaner
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany

Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP

Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com

- · Further information obtainable from: Department for product development
- · 1.4 Emergency telephone number:

Dr. Schutz UK steve@dr-schutz.com

0044 (0) 1296 437827 (mon - fri 9am-5pm)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- Signal word Not applicable
- Hazard statements Not applicable
- Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

		(Contd. of	page
· Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	≥5-<10%	
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	1-5%	
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C≥ 0.0015 %	≥0.00025-<0.00	015
Regulation (EC) No 648/200	4 on detergents / Labelling for contents		
non-ionic surfactants			<5%
	ervation agents (2-BROMO-2-NITROPROPANE-1,3-D OLINONE / METHYLISOTHIAZOLINONE)	PIOL,	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments.

· Additional information: For the wording of the listed hazard phrases refer to section 16.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Dr. Schutz[®]

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 2)

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

· Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) None

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Exposure limit values:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Sk

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 3)

· Respiratory protection: Not required.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

· Body protection:

Not required.

Light weight protective clothing

· Environmental exposure controls Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless

Fruit-like

Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

range 100°C

· Flammability Undetermined.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

• Flash point: >100°C (Seta Flash Closed Cup)

· Auto-ignition temperature: 425°C

• Decomposition temperature: Not determined.

• pH at 20°C 7.5

· Viscosity:

Kinematic viscosity at 20°C
 Dynamic:
 22 s (ISO 3 mm)
 Not determined.

Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C: 23 hPa

· Density and/or relative density

Density at 20°C: 0.99 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 28.07.2021 Printing date 02.08.2023 Version number 15 (replaces version 14)

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 4)

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 7.6 % 7.6 % · VOC (EC)

Change in condition

Not determined. · Evaporation rate

· Information with regard to physical hazard

classes · Explosives Not applicable · Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable · Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable Pvrophoric liquids Not applicable Pyrophoric solids Not applicable Self-heating substances and mixtures Not applicable

· Substances and mixtures, which emit flammable gases in contact with water Not applicable · Oxidising liquids Not applicable · Oxidising solids Not applicable Not applicable · Organic peroxides · Corrosive to metals Not applicable Desensitised explosives Not applicable

SECTION 10: Stability and reactivity

- 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No dangerous reactions known.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:					
64-17-5 e	64-17-5 ethanol				
Oral	LD50	10,470 mg/kg (rat) (OECD 401)			
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)			

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

		(Contd. of page 5)		
Inhalative	LC50/4h	117-125 mg/l (rat) (OECD 403)		
107-98-2 1-methoxy-2-propanol				
Oral	LD50	5,200 mg/kg (rat)		
Dermal	LD50	14,000 mg/kg (rabbit)		
Inhalative	LC50/4h	54.6 mg/l (rat)		
52-51-7 bronopol (INN)				
Oral	LD50	305 mg/kg (rat) (OECD 401)		
Dermal	LD50	1,600 mg/kg (rabbit)		

· Skin corrosion/irritation

No data available.

Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

No data available.

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Repeated dose toxicity Undetermined.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:				
64-17-5 ethanol				
EC50/48h	12,900 mg/l (algae) (OECD 201)			
107-98-2 1	107-98-2 1-methoxy-2-propanol			
EC50/48h	23,300 mg/l (Daphnia magna)			
52-51-7 bronopol (INN)				
LC50/96h	41.2 mg/l (Oncorhynchus mykiss (Rainbow trout))			
	0.4-2.8 mg/l (algae)			

12.2 Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

The solvent is biodegradable.

- · 12.3 Bioaccumulative potential Undetermined.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 6)

- · 12.7 Other adverse effects
- Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to instruments	IMO Not applicable.
· Transport/Additional information:	
· ADR · Remarks:	Not classified as Dangerous Good according to Special Provision 144, chap. 3.3 ADR.
· UN "Model Regulation":	Not applicable

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.08.2023 Version number 15 (replaces version 14) Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

Other regulations (EC): Regulation (EC) No 648/2004

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Training hints ---
- · Recommended restriction of use ---
- Department issuing SDS: Department for product development
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. on page 9)

Page 9/9

Dr. Schutz®

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2023

Version number 15 (replaces version 14)

Identification of the substance/preparation: Dr. Schutz Laminate Cleaner

(Contd. of page 8)

Revision: 28.07.2021

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

GB